







SHOP WPG PRODUCTS

- Attach to most relatively smooth, nonporous stone
  Easy one-person operation
  - No more wrestling with dangerous slings, tongs, or hooks
  - Easy maintenance
  - ✓ AC, DC or Compressed Air vacuum pumps

## **Wood's Powr-Grip<sup>®</sup> Vacuum Lifting Tools & Equipment** The Safe and Trusted Way to Handle Stone Slabs, Tile, Counter Tops, and More!


## HAND-HELD VACUUM CUPS

- ✓ Multiple pad sizes for a large variety of applications.
- ✓ Handle bath tiles, floor tiles, façade slabs, counter tops and more!
- ✓ Available with ABS handle for improved tolerance to wet stone-working conditions
- ✓ Position awkward loads with precision.



## **BELOW-THE-HOOK VACUUM LIFTERS**

- ✓ Lift stone slabs weighing up to 3000 lbs [1360 kg].\*
- ✓ Ideal for transporting stone slabs between racks, CNC machines, slab saws and cutting tables.
- ✓ Can attach to granite, marble, limestone, slate and more!
- ✓ Replaceable Pad Rings seal onto stone with saw-cut, honed, or even flamed finish—in addition to polished stone surfaces.
- ✓ Pad Shutoffs make these lifters well-suited for lifting irregularly shaped slabs, like counter tops.



## OUR PRODUCTS\*

| MODEL<br>NUMBER                      | MAX LOAD<br>CAPACITY    | LOAD<br>MOVEMENT                                      | FEATURES   |
|--------------------------------------|-------------------------|---|--|
| Hand-Held Vacuum Cups                |                         |   |  |
| LJ45HG                               | 40 lbs [18 kg] per cup  | Ergonomic Manual<br>Movement                          | Handi-Grip handle for maximum control.<br>Concave pad for curved or flat surfaces.   |
| LP6HG                                | 70 lbs [32 kg] per cup  |   | Handi-Grip handle for maximum control.<br>Flat pad for quick attachment.   |
| N4000TS                              | 125 lbs [57 kg] per cup |   | ABS handle will not rust.<br>Flexible pad for textured surfaces.   |
| N4100                                | 100 lbs [45 kg] per cup |   | Ideal for high elevations. ABS handle will not rust.   |
| N4300                                | 125 lbs [57 kg] per cup |   | Metal handle resists grit and contaminates.<br>ABS plunger will not rust.  |
| N4950TS                              | 125 lbs [57 kg] per cup |   | Metal handle for durability.<br>Flexible pad for textured surfaces.  |
| N5450CS                              | 150 lbs [68 kg] per cup |   | Concave pad for curved or flat surfaces.<br>Metal handle for durability.   |
| RF36HG                               | 40 lbs [18 kg] per cup  |   | Oval pad for narrow surfaces.<br>Handi-Grip handle for maximum control.  |
| TL3TH                                | 15 lbs [7 kg] per cup   |   | Concave pad for curved or flat surfaces.   |
| TL6HG                                | 70 lbs [32 kg] per cup  |   | Concave pad for curved or flat surfaces.<br>Handi-Grip handle for maximum control.   |
| Below-the-Hook Vacuum Lifters        |                         |   |  |
| MTA810TACS<br>MTA810TDCS             | 1200 lbs [545 kg]       | Assisted manual tilt, 90°<br>between upright and flat | Quadra-Tilt™ linkage assists in handling heavy loads.<br>Individual shutoffs to all vacuum pads.   |
| MTA8LP6FAC<br>MTA8LP6FAIR            | 360 lbs [165 kg]        |   | Ideal for installing counter tops. Infinitely variable pad positioning. Individual shutoffs to all vacuum pads.  |
| MT810TAC<br>MT810TAIR<br>MT810TDC    | 1200 lbs [545 kg]       | Manual tilt, 90° between<br>upright and flat          | Narrow profile for maneuvering lifter between racks<br>of stone slabs. Individual shutoffs to all vacuum pads.   |
| MT1010TAC<br>MT1010TAIR<br>MT1010TDC | 1500 lbs [680 kg]       |   | Narrow profile for maneuvering lifter between<br>racks of stone slabs. High capacity for heavy loads.<br>Individual shutoffs to all vacuum pads.                                   |
| PT410TAC<br>PT410TAIR<br>PT410TDC    | 600 lbs [270 kg]        | Power tilt, 90° between<br>upright and flat           | Maximum versatility for handling stone and other<br>high-density materials, including those with rough<br>surfaces or irregular shapes. Individual shutoffs to all<br>vacuum pads. |
| PT1010TAC<br>PT1010TAIR<br>PT1010TDC | 1500 lbs [680 kg]       |   | Powered tilting makes handling heavy loads easy.<br>Individual shutoffs to all vacuum pads.  |

\* More models and options available. For additional information please visit https://www.salemftg.com/shop/stone/material-handling/woods



Salem Fabrication Supplies is a proud partner of Wood's Powr-Grip. Since 1964, Wood's Powr-Grip has provided innovative equipment which uses vacuum to lift, hold and position stone safely and efficiently. Powr-Grip offers a broad range of hand-held vacuum cups, vacuum mounting cups and below-the-hook vacuum lifters to make materials handling easier. Whether your application requires standard or custom designs, let Salem and Wood's Powr-Grip put their expertise to work for you!













5901 Gun Club Road, Winston-Salem, NC 27103 | 800.234.1982 | info@salemftg.com | www.SalemFTG.com Salem Fabrication Supplies is a division of Salem Fabrication Technologies Group, Inc. | We Are 100% Employee Owned